

Room Data Template

CASEWORK			
CASEWORK TYPE		BENCHTOP MATERIAL	COMMENTS
Fixed Casework	<input checked="" type="checkbox"/>	Epoxy	<input checked="" type="checkbox"/>
Movable Casework	<input checked="" type="checkbox"/>	Wood	<input type="checkbox"/>
Wall Cabinets	<input checked="" type="checkbox"/>	Stainless Steel	<input type="checkbox"/>
Wall Shelves	<input checked="" type="checkbox"/>	Plastic Laminate	<input type="checkbox"/>
Lockable Cabinets	<input type="checkbox"/>	Phenolic	<input type="checkbox"/>
Other:	<input type="checkbox"/>	Other:	<input type="checkbox"/>
CASEWORK MATERIAL		SHELVING MATERIAL	
Metal	<input type="checkbox"/>	Metal	<input type="checkbox"/>
Wood	<input type="checkbox"/>	Wood	<input type="checkbox"/>
Stainless Steel	<input type="checkbox"/>	Stainless Steel	<input type="checkbox"/>
Other:	<input type="checkbox"/>	Glass	<input type="checkbox"/>
		Other:	<input type="checkbox"/>

EXHAUST DEVICES	
Benchtop Fume Hoods:	<input type="checkbox"/>
Walk-in Fume Hoods:	<input type="checkbox"/>
Radioisotope Hoods:	<input type="checkbox"/>
Perchloric Hoods:	<input type="checkbox"/>
Bio Safety Cabs:	<input type="checkbox"/>
Vert Lam Flow Hoods:	<input type="checkbox"/>
Hori Lam Flow Hoods:	<input type="checkbox"/>
Polypropylene Hoods:	<input type="checkbox"/>
Canopy Hoods:	<input type="checkbox"/>
ADA Hoods:	<input type="checkbox"/>
Point Exhaust:	<input checked="" type="checkbox"/> (Qty: 6) Type: Stubbed in Ceiling
Other:	<input type="checkbox"/>
COMMENTS	

HVAC			
ENVIRONMENT		ACOUSTIC	
Design Temp Cooling:	72 F Range +/-: 2	Sound Transmission Class:	
Relative Humidity Cooling:	50 % Range +/-: 2	Noise Criteria:	
Design Temp Heating:	72 F Range +/-: 2	SPECIAL REQUIREMENTS	
Relative Humidity Heating:	25 % Range +/-: 2	Oxygen/gas Detection:	<input type="checkbox"/>
Supply Air Filtration		Other:	<input type="checkbox"/>
Min. Air Change Rate (ac/hr):	6	COMMENTS	
Indicator			
Pressure Monitor	<input type="checkbox"/>		
Laminar Flow Distribution	<input type="checkbox"/>		
Exhaust Air Filtration			
Exhaust Air: 100% Exhausted	<input checked="" type="checkbox"/>		
Exhaust Air: Recirculated Air	<input type="checkbox"/> per ASHRAE 62.1		
Low Wall Exhaust	<input type="checkbox"/>		
Night Setback	<input type="checkbox"/>		

Room Data Template

HOK

FPU Continuing Services - Original

Code: SR.015

PLUMBING

ROOM SERVICES + LOCATION

- Natural Gas (GAS):
- Vacuum (VAC): Lab only.
 Building vacuum not required.
- Carbon Diox. (CO2):
- Compressed Air (CA): Desiccant Air Dryer system. Dry Air
- Chilled Water (CW S/R):
- Nitrogen (N2):
- Helium (He):
- Argon (Ar):
- Oxygen (O2):
- Hydrogen (H):
- Liq Nitrogen (LN2):
- Special Gas 1 (SG1):
- Special Gas 2 (SG2):
- Other:

SINKS

- Standard (0)
- ADA
- Scullery
- Epoxy (0)
- Stainless Steel
- Marine Edge

SERVICES AT SINKS

- Hot Water (HW)
- Cold Water (CW)
- High Purity Water
- Eye Wash
- Drench Hose
- DI/RO Water (DI/RO):

OTHER

- Floor Drain (FD)
- Floor Sink (FS)
- Trench Drain (TD)
- Safety Shower (SS)
- Eye Wash (EW)
- Other:

COMMENTS

Point of use polisher for high purity water.
 Polisher OFOI

ELECTRICAL / LIGHTING

ELECTRICAL

- Raceway
- 110V, 20A, 1 Phase:
- 208V, 30A, 1 Phase
- 208V, 30A, 3 Phase:
- Other V/Phase
- Standby Power
- UPS
- Power at Table
- Data
- Phone
- Other: Data Wifi

LIGHTING

- 80-100 fc @ wrk srfc
- 30-60 fc @ wrk srfc
- Other fc @ wrk srfc:
- Task Lighting
- Surgical Light
- Dimmable Lighting
- Zoned Lighting
- Prefer Natural Light
- Other:

COMMENTS

SECURITY / AV

SECURITY

- Key Lock
- Card Access
- Video Surveillance
- Emergency Shutoff
- Equipment Theft Alarm
- Glass Break Sensor
- Alarmed Door
- Motion Detector
- Motion Sensors
- Close Circuit Telev.
- Other:

COMMUNICATIONS

AUDIO VISUAL

- Projection
- Flat Panel Display
- Camera
- Microphone
- Distance Learning
- Other:

COMMENTS

Room Data Template

Code: SR.015

GENERAL ROOM REMARKS

GENERAL ROOM REMARKS Whiteboard or writable surface